International Symposium of Climate Change Effects on Fish and Fisheries in Sendai
Apr. 28, 2010

### C2-6098

Economic strategies for avoiding climate change effects on Japanese salmon fisheries

Ikutaro Shimizu\*, Tsutomu Ohnuki\*\*
and Kunio Abe\*\*

\*National Research Institute of Fisheries Science \*\*National Salmon Resources Center

### **Content**

- (1) Background and Objective
- (2) Climate change and fishery /Released salmon fry and Returned adults in Hokkaido
- (3) Four scenarios of variability on salmon capture and strategies for avoiding climate change effects on Japanese salmon fisheries
- (4) Importance of combination strategies for regional industries
- (5) Conclusion

1

### (1) Background

- Salmon are important fishery resources with global commercial value.
- Climate change has a marked influence on salmon inhabiting subarctic waters.
- The stability and catch of cold-water fishery resources will decrease due to climate change (or global warming).
- Climate change will cause prices to rise and price salmon out of global markets.

2

### **Objective**

- Salmon fisheries are one of the most important industry in northern Japan.
- The basis for building economic strategies was suggested the stability of resources and prices.
- We thought that a combination of local, regional and global economic strategies could cushion salmon fisheries against the effects of climate change.
- What kind of strategies do we need?

3

## (2) Climate change and fishery

- Atlantic croaker juveniles spend their first winter in the estuarine nursery habitats. Temperature during winter period is very important to juvenile survival. The recruitment is determined by winter temperature (FISHupdate.com).
- Salmon juveniles spend their first autumn season in the Okhotsk Sea and their first winter season in the northwest Pacific Ocean.
- Some fish populations will increase and others decrease as a result of climate change (NEFSC). Climate change affects variability of fish populations.


Adult return and fry release of chum salmon in Hokkaido

70000 Hokkaido

10000 Hokkaido

10000


4




# (3) Four scenarios of salmon capture and local strategies


- Hatchery salmon (O. keta) in Hokkaido
- Classified variation types from historical data
  - Rising (a) 1982-1990
  - Varying
    - Decrease to increase (b) 1990-2003
    - Increase to decrease (c) 1992-2000
  - Declining (d) 2003-2008

7







# (c) Varying type (1992-2000) From increase to decrease • Capture changed rapidly from increase to decrease. Wholesale price is down and up quickly. • Maintaining prices of local resources by cooperation between salmon hatcheries, set-net fisheries and seafood processing industries.















# Combination strategies for stability of salmon fishery management

- Although Tokachi region showed high value of salmon fisheries, the valuable ratio is also high. Captured salmon are processed by a self employed factory.
- The value of Kushiro region was lower than that of Tokachi region. However, Kushiro region showed high ratio of marginal profit.
- Many processing factories are integrated in the suburbs of Kushiro fisheries.
- The combination between fishing and processing was suggested the formation of personal management.

*17* 



# (5) Conclusion

- A combination of strategies is important to stabilize fisheries management.
- These strategies are likely to help to improve the basis of fisheries management and to cushion against the effects of climate change.

*19*